

FROM MCI Technology Law Washington DC

(FRI) 2.17.06 17:36/ST. 17:35/NO. 4261173816 P 3

Docket No. COS98044

K. D.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Curtis T. Combar et al.

Confirmation No.: 5086

Serial No.: 09/159,404

Art Unit: 3621

Filed: September 24, 1998

Examiner: J. Hayes

Title: Integrated Proxy Interface For Web Based Data Management Reports

**RECEIVED
CENTRAL FAX CENTER**

FEB 17 2006

AMENDMENT UNDER 37 CFR § 1.312

Mail Stop Issue Fee
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Notice of Allowance dated November 18, 2005, please amend the above referenced Application as follows.

*Please Enter
3-8/06
[Signature]*

Page 5, first paragraph, lines 1-5, replace with the following paragraph:

Particularly, the telecommunications data management/system architecture is integrated with a novel Web/Internet-based reporting tool, referred to as "StarWRS", described in co-pending U.S. Patent Application No. 09/159,409, now U.S. Patent 6,631,402.

Page 16, first paragraph, lines 15-30 and Page 17, lines 1-18, replace with the following paragraph:

As described in greater detail in co-pending U.S. Patent Application No. 09/159,514, now U.S. Patent 6,598,167, entitled SECURE CUSTOMER INTERFACE FOR WEB-BASED DATA MANAGEMENT, the contents and disclosure of which is incorporated by reference as if fully set forth herein, a networkMCI Interact session is designated by a login, successful authentication, followed by use of server resources, and logoff. However, the world-wide web communications protocol uses HTTP, a stateless protocol, each HTTP request and reply is a separate TCP/IP connection, completely independent of all previous or future connections between the same server and client. The nMCI Interact system is implemented with a secure version of HTTP such as S-HTTP or HTTPS, and preferably utilizes the SSL implementation of HTTPS. The preferred embodiment uses SSL which provides a cipher spec message which provides server authentication during a session. The preferred embodiment further associates a given HTTPS request with a logical session which is initiated and tracked by a "cookie jar server" 28 to generate a "cookie" which is a unique server-generated key that is sent to the client along with each reply to a HTTPS request. The client holds the cookie and returns it to the server as part of each subsequent HTTPS request. As desired, either the Web servers 24, the cookie jar server 28 or the Dispatch Server 26, may maintain the "cookie jar" to map these keys to the associated session. A separate cookie jar server 28, as illustrated in Figure 2 has been found desirable to minimize the load on the dispatch server 26. This form of session management also functions as an authentication of each HTTPS request, adding an additional level of security to the overall process.

Page 26, first paragraph, lines 18-28 and Page 27, lines 1-13, replace with the following paragraph:

Further as shown in the DMZ, 17 is a second RTM server 52 having its own connection to the public Internet via a TCP/IP connection 48. As described in co-pending U.S. Patent Application No. 09/159,516, now U.S. Patent 6,470,386, entitled INTEGRATED PROXY INTERFACE FOR WEB BASED TELECOMMUNICATIONS MANAGEMENT TOOLS, incorporated by reference as if fully set forth herein, this RTM server provides real-time session management for subscribers of the networkMCI Interact Real Time Monitoring system. An additional TCP/IP connection 48 links the RTM Web server 52 with the MCI Intranet Dispatcher server 26. As further shown in Figure 5, a third router 65 is provided for routing encrypted subscriber messages from the RTM Web server 52 to the Dispatcher server 26 inside the second firewall. Although not shown, each of the routers 55, 65 may additionally route signals through a series of other routers before eventually being routed to the nMCI Interact Dispatcher server 26. In operation, each of the Secure servers 24 function to decrypt the client message, preferably via the SSL implementation, and unwrap the session key and verify the users session from the COUSser object authenticated at Longon.

Page 28, last paragraph, lines 18-30 and Page 29, lines 1-5, replace with the following:

The Infrastructure component of the nMCI Reporting system includes means for providing secure communications regardless of the data content being communicated. As described in detail in above-referenced, co-pending U.S. Patent Application No. 09/159,514, now U.S. Patent 6,598,167, the nMCI Interact system security infrastructure includes: 1) authentication, including the use of passwords and digital certificates; 2) public key encryption, such as employed by a secure sockets layer (SSL) encryption protocol; 3) firewalls, such as described above with reference to the network architecture component; and 4) non-repudiation techniques to guarantee that a message originating from a source is the actual identified sender. One technique employed to combat repudiation includes use of an audit trail with electronically signed one-way message digests included with each transaction.

Page 30, first paragraph, lines 1-15, replace with the following paragraph:

To provide the areas of functionality described above, the client tier 10 is organized into a component architecture, with each component providing one of the areas of functionality. As explained in further detail in co-pending U.S. Patent Application No. 09/159,515, now U.S. Patent 6,115,040, the client-tier software is organized into a "component" architecture supporting such applications as inbox fetch and inbox management, report viewer and report requestor, TFNM, Event Monitor, Broadband, Real-Time Monitor, and system administration applications. Further functionality integrated into the

software architecture includes applications such as Outbound Network Manager, Call Manager, Service Inquiry and Client View.

Page 31, last paragraph, lines 17-30, Page 32, lines 1-30 and Page 33, lines 1-18, replace with the following:

The Report Manager ("RM") server 250 is an application responsible for the synchronization of report inventory with the back-end "Fulfilling" servers 400, 500; retrieval of entitlements, i.e., a user's security profiles, and report pick list information, i.e., data for user report customization options, from the system Order Entry server 280; the transmission of report responses or messages to the Dispatcher server 26 (Figure 6); the maintenance of the reporting databases; and, the management of metadata used for displaying reports. In the preferred embodiment, the RM server 250 employs a Unix daemon that passively listens for connect requests from the GUI client applications and other back-end servers and deploys the TCP/IP protocol to receive and route requests and their responses. Particularly, Unix stream sockets using the TCP/IP protocol suite are deployed to listen for client connections on a well-known port number on the designated host machine. Client processes, e.g., report requestor 212, desiring to submit requests connect to RM 250 via the dispatcher 26 by providing the port number and host name associated with RM 250. For a particular back-end server 400 providing priced reporting data, a Talarian smart socket connection 254 is provided. Request messages received by the RM server are translated into a "metadata" format and are validated by a parser object built into a report manager proxy 250' that services requests that arrive from the GUI front-end. If the errors are found in the metadata input, the RM 250 will return an error message to the requesting client. If the metadata passes the validation tests, the request type will be determined and data will be retrieved in accordance with the meta data request after which a standard response will be sent back to the requesting client. As shown in Figure 6, interface sockets 252 are shown connecting the Dispatcher server 26 and the RM server 250 and, other socket connections 254, 256 are shown interfacing with respective back end servers 400 and 500. In one embodiment, server 400 provides a customer's priced billing data through a Talarian smart socket messaging interface 254 to the Report Manager. Particularly, as described in commonly owned, co-pending U.S. Patent Application No. 09/159,684, now U.S. Patent 6,377,993, a back-end billing mainframe application known as the StarODS server provides such priced call detail data. Additionally, as shown in Figure 6 and described in commonly owned, co-pending U.S. Patent Application No. 09/159,404, the contents and disclosure of which are incorporated by reference as if fully set forth herein, call detail data is FTP'd directly to the Inbox Server and a message is sent to the report manager server 250 from the Traffic View server ("TVS") 500. Although not shown in Figure 6 it should be understood that the RM 250 server can manage reporting data for customer presentation from other back-end and legacy servers including, e.g.,

Broadband, Tool Free Network Management, and Event Monitor servers, etc. in order to present to a customer these types of network management and reporting data.

Page 59, last paragraph, lines 15-28, replace the with the following paragraph:

As described herein, when the user requests call detail for a particular period of time, this request is translated by the StarWRS component into a metadata file which is sent to TVS in the manner described herein. Users schedule reports for execution using the Report Scheduler in StarWRS in the manner as described in co-pending U.S. Patent application Number 09/159,409, now U.S. Patent 6,631,402. When the user has completed report selection, modifications and scheduling, the StarWRS Report Scheduler component 260 creates a metadata message comprising this information which file is passed to TVS in real time. The TVS then uses this file to formulate a query and runs the report for the scheduled time period.

Page 60, last paragraph, lines 8-30, to Page 61, lines 1-23, replace with the following paragraph:

As shown in the process flow diagram of Figure 12(a), a user first establishes communication with the DMZ Web server at step 602 and logs on to the nMCI Interact system by entering the user's name and password onto a logon dialog box, as indicated at step 604. Then, at steps 606-608, an application running on the backplane directs a "Validate User Message" common object to the StarOE server 280 via the web server and dispatcher servers (Figure 2) to direct the StarOE server 280 to perform security validation and authenticate the user ID and password in the manner as described in commonly owned, co-pending U.S. Patent Application Serial No. 09/159,514, now U.S. Patent 6,598,167, entitled AUTHENTICATION AND ENTITLEMENT OF WEB BASED DATA MANAGEMENT PROGRAMS, the contents and disclosure of which is incorporated by reference herein. It is understood that all communication to the StarOE server is via TCP/IP with a Unix process listening on a known TCP port. The StarOE server acts as a proxy when messages are sent from the Dispatcher server 26 and supports synchronous transactions. All data and security information is accessed by direct queries to a StarOE server database 283, such as provided by Informix. Once a user is logged on, the Web Server 24 (Figures 2 and 6) requests a current list of authorized applications from the StarOE server 285 as indicated at steps 608 and 610. Particularly, as described in co-pending U.S. Patent Application Serial No. 09/159,408, now U.S. Patent 6,587,836, the contents and disclosure of which is incorporated by reference herein, a "Get User Application Request" message is communicated to the StarOE server via the backplane from the report requestor which queries the Informix database to obtain a list of authorized applications, i.e., services, for the user and which determines which button on the home page are active, thus controlling

their access to products. This information is downloaded by a GUI applet that is executed via the Backplane (Figure 3) and incorporated into the home page that is presented to the user as indicated at steps 612-614. An exemplary home page screen display 80 is shown in Figure 4 which provides a list of icons 70 representing the possible options available to the user according to that customer's entitlements.

Page 61, first paragraph, lines 24-30 to Page 62, lines 1-6, replace with the following paragraph:

Appendix H of co-pending U.S. Patent Application No. 09/159,409, now U.S. Patent 6,631,402, provides the format and content of the nMCI Interact common objects downloaded to the Report Requestor client application to enable web-based reporting. As shown in above-referenced Appendix II, the Report Requestor first asks for common objects for a user's default timezone, language and currency. The Report Requestor objects are invoked to retrieve from StarOE the various customer entitlements relating to security, geographical hierarchy, billing hierarchy, and paging and e-mail notification, as further shown in Appendix H.

Page 64, first paragraph, lines 15-30 to Page 65, lines 1-4, replace with the following paragraph:

Whether creating a new report or editing an existing report, the user is enabled to select customization options as indicated at step 630, Figure 7(b) form a new dialog screen that is presented to the user showing all the report customization categories for building a new report and/or editing an existing report. From this screen and related report building dialog boxes, all of the initial values for retrieving the MetaData, customization options and GUI builder options from the report manager server 250 necessary to build (edit) a report are provided in accordance with the user's entitlements. As described in greater detail in co-pending U.S. Patent Application No 09/159,409, now U.S. Patent 6,631,402, a user may provide the following customization and report builder options: general customization options; layout customization options; access customization options; hierarchy customization options; geographic customization options; and, notification customization options.

Page 85, second paragraph, lines 4-33 to Page 86, lines 1-17, replace with the following paragraph:

Appendix C provides a table showing the fields for the metadata messaging between the RM server 250 and the Inbox server 270 for adding an item into the StarWRS system Inbox server 270, and the respective acknowledgment message format from the Inbox server. In the "A" message found in Appendix C, the "LOC" field includes information about where the report data is located. For example, a

FROM MCI Technology Law Washington DC

(FRI) 2.17.06 17:38/ST. 17:35/NO. 4261173816 P 9

Docket No. COS98044

metadata message indicating to the Inbox server that an unpriced TVS fulfilling server report is available is shown as:

```
A<CATEGORY=R, TYPE=traffic,REQUESTID=32197,
USERID=LynneLevy2, RPTID=150, PRIORITY=,COMPRESS=0,
UNOTIFY=0,MMADDR=,MMTEXT=,PGT=,PGPIN=,PGTXT=,
RPTCATEGORY=Service Location & Hour,
LOC=/inbox/files/testTVS/9025112294STDRTID10.CSV,ENTPID=1032
4488,RQSTID=1998-01-02
15:18,MSIZE=3705,RPTTITLE=Summary by Service Location and
Hour,MSIZE=3322>
```

Particularly, the RM server supplies a metadata "A" message to the Inbox indicating the FTP file location. Via the report viewer, the report is now available for viewing, downloading, saving, or printing by the user, as indicated at step 695, and as described in further detail in co-pending U.S. Patent Application Serial No. 09/159,512, now U.S. Patent 6,385,644, entitled MULTI-THREADED WEB BASED IN-BOX FOR REPORT MANAGEMENT, the contents and disclosure of which are incorporated by reference as if fully set forth herein. Particularly, as shown in the exemplary nMCI home page in Figure 4, the nMCI Interact Message Center icon 77 may be selected which will cause the display of a web page including the message center dialog window. From the message center dialog window, a user may select from among three tabs, one of which, a reports tab, enables the retrieval of both a data file and a metadata file from the Inbox Server corresponding to those reports that have been run and available for customer viewing. Information provided for display by the message center display 325 is provided by the User table which keeps track of the status of all reports for a particular user. By double-clicking a chosen report, a report viewer application is enabled to display the chosen report on a web-page.